


GET A GRIP!

PYTHON
ADHESIVES

Document No. FS.WHITE.DOP.v1.0
Declaration of Performance in accordance with Annex 111 of Regulation (EU) No. 305/2011
Revision Date: 01/11/18
Python FS White

1. Unique identification code of the product type:	
Python FS White	
2. Batch / serial No. identifying the construction product as required under Article 11(4) NB.	
Batch number is printed on the side of the pack with date of manufacture.	
3. Intended use in accordance with the harmonised standard	
Cementitious adhesive with reduced slip.	
4. Name & contact address of the Manufacturer	
Python Adhesives Ltd Teardrop Centre, London Road, Swanley, London, BR8 8TS	
5. Name & contact address of the authorised representative whose mandate covers tasks specified in Article 12(2)	
Not applicable	
6. System of assessment & verification of constancy of performance as set out in Annex V	
System 3 + 4	
7. Harmonised EN Standard	
The notified body Ceram, identification No. 1289, has carried out the initial type testing to System 3 and issued Test Report No. (135223) - 21449	
8. Declared Performance: To harmonised technical specification: EN 12004:2007 + A1:2012	
Essential characteristics	Performance
Reaction to fire	Class F
Slip	0.32 mm
Early tensile adhesion strength	1.3 N/mm ²
Initial tensile adhesion strength	1.1 N/mm ²
Tensile adhesion strength after water immersion	1.4 N/mm ²
Tensile adhesion strength after heat ageing	1.0 N/mm ²
Tensile adhesion strength after freeze/thaw cycle	0.8 N/mm ²
Tensile strength after 10 min open time	0.7 N/mm ² after 30 mins
Dangerous substances	See MSDS
CLASSIFICATION C2 TE	
9. Declaration	
The performance of the above product identified in points 1 & 2 is in conformity with the declared performance as defined under EN 12004:2007 + A1:2012. This declaration of performance is issued under the sole responsibility of The manufacturer identified in point 4.	
Signed for on behalf of Python Adhesives Ltd by:	
	
Ray Kingston Technical Support Representative	