


**GET A GRIP!**

**PYTHON**  
ADHESIVES

Document No. RS.WHITE.DOP.v1.0
Declaration of Performance in accordance with Annex 111 of Regulation (EU) No. 305/2011
Revision Date: 01/11/18
Python RS White

<b>1. Unique identification code of the product type:</b>	
Python RS White	
<b>2. Batch / serial No. identifying the construction product as required under Article 11(4) NB.</b>	
Batch number is printed on the side of the pack with date of manufacture.	
<b>3. Intended use in accordance with the harmonised standard</b>	
Improved fast setting deformable cementitious adhesive with reduced slip.	
<b>4. Name &amp; contact address of the Manufacturer</b>	
Python Adhesives Ltd Teardrop Centre, London Road, Swanley, London, BR8 8TS	
<b>5. Name &amp; contact address of the authorised representative whose mandate covers tasks specified in Article 12(2)</b>	
Not applicable	
<b>6. System of assessment &amp; verification of constancy of performance as set out in Annex V</b>	
System 3 + 4	
<b>7. Harmonised EN Standard</b>	
The notified body Ceram, No. 1289 has carried out initial type testing to System 3 and issued Test report No. (124246)-17187	
<b>8. Declared Performance: To harmonised technical specification: BSEN 12004-1:2017</b>	
Essential characteristics	Performance
<b>Bond strength as:</b> <ul style="list-style-type: none"><li>• Early tensile adhesion</li><li>• Initial tensile adhesion</li></ul>	>0.7 N/mm <sup>2</sup> >3.1 N/mm <sup>2</sup>
<b>Durability for tensile Adhesion:</b> <ul style="list-style-type: none"><li>• After heat ageing</li><li>• After water immersion</li><li>• After freeze/thaw cycles</li></ul>	2.4 N/mm <sup>2</sup> 1.5 N/mm <sup>2</sup> 1.5 N/mm <sup>2</sup>
Reaction to Fire	Class E WFT
Release of dangerous substances	See MSDS
<b>CLASSIFICATION - C2FTS1</b>	
<b>9. Declaration</b>	
The performance of the product identified in items 1 and 2 in conformity with the declared performance set out in item 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.	
<b>Signed for on behalf of Python Adhesives Ltd by:</b>	
 Ray Kingston Technical Support Representative	